ELSEVIER

Volume 236, Numbers 1–2, 1 April 1996

Journal of ALLOYS AND COMPOUNDS

# Contents

## Chemistry

Sulfur p-band hole generation in $\beta$-$BaCu_2S_2$. Synthesis of metallic $K_xBa_{1-x}Cu_2S_2$ from molten mixed K–Ba polysulfide salts . . . . . 1
X. Zhang (East Lansing, MI, USA), T. Hogan, C.R. Kannewurf (Evanston, IL, USA), M.G. Kanatzidis (East Lansing, MI, USA)

Syntheses, properties and crystal structures of several new bis(polypyrazolylborato)lanthanoid(III) complexes . . . . . 6
M. Onishi, N. Nagaoka, K. Hiraki, K. Itoh (Nagasaki, Japan)

$Na_2K_{13}[W_7N_{19}]$ the first nitrido tungstate(VI) with layers of corner-sharing nitrogen tetrahedra around tungsten . . . . . 13
R. Niewa, H. Jacobs (Dortmund, Germany)

Crystallographic structures and phase transformations in ZrPd . . . . . 19
L.A. Bendersky, J.K. Stalick (Gaithersburg, MD, USA), R. Portier (Paris, France), R.M. Waterstrat (Gaithersburg, MD, USA)

The crystal structure of $Ti_3PD_{2.4}$ . . . . . 26
T. Larsson, P.-J. Ahlzén, Y. Andersson, S. Rundqvist, R. Tellgren (Uppsala, Sweden)

Study on local bonding characteristics of metallic glasses by quantum chemical calculations . . . . . 30
H.-L. Liu, N.-Y. Chen, M. Ni, L.-M. He, Q.-Y. Jin (Shanghai, People's Republic of China)

Studies on $AB_2$-type intermetallic compounds, II. High-pressure synthesis and crystal structure of $MgEr_2$ and $MgTb_2$ . . 34
M.A. Ebner, K.-J. Range (Regensburg, Germany)

Synthesis and structure of $Na_3Sr[NbAs_4]$ and $K_5Ba[NbAs_4]$ . . . . . 38
K. Vidyasagar, W. Hönle, H.-G. von Schnering (Stuttgart, Germany)

Thermodynamic properties for solution of hydrogen in Pd–Ag–Ni ternary alloys . . . . . 42
K. Ohira, Y. Sakamoto (Nagasaki, Japan), T.B. Flanagan (Burlington, VT, USA)

Studies on $AB_2$-type intermetallic compounds, III. High-pressure synthesis and single-crystal structure refinement of the Laves–Friauf phases $HoMg_2$, $TmMg_2$ and $YbMg_2$ . . . . . 50
M.A. Ebner, K.-J. Range (Regensburg, Germany)

Preparation and crystal structure of the ternary carbides $Ln_{12}Mn_5C_{15}$ with Ln = Y, Pr, Nd, Sm, Gd–Tm, Lu . . . . . 58
U.A. Böcker, W. Jeitschko, G. Block (Münster, Germany)

Torsion and Knudsen measurements of cobalt and nickel difluorides and their standard sublimation enthalpies . . . . . 63
B. Brunetti, V. Piacente (Roma, Italy)

Synthesis in molten alkali metal polythiophosphate fluxes. The new quaternary bismuth and antimony thiophosphates $ABiP_2S_7$ (A = K, Rb), $A_3M(PS_4)_2$ (A = K, Rb, Cs; M = Sb, Bi), $Cs_3Bi_2(PS_4)_3$, and $Na_{0.16}Bi_{1.28}P_2S_6$ . . . . . 70
T. McCarthy, M.G. Kanatzidis (East Lansing, MI, USA)

Physical properties of $CePd_3As_2$ . . . . . 86
R.A. Gordon, F.J. DiSalvo (Ithaca, NY, USA), R. Pöttgen (Stuttgart, Germany)

Electronic states of alloying elements in $MoSi_2$ compound . . . . . 92
Y. Harada, M. Morinaga, A. Ito, Y. Sugita (Aichi, Japan)

## Physics

Incommensurate magnetic structures of $RMn_6Sn_6$(R = Sc, Y, Lu) compounds from neutron diffraction study . . . . . 102
G. Venturini (Vandoeuvre les Nancy, France), D. Fruchart (Grenoble, France), B. Malaman (Vandoeuvre les Nancy, France)

Formation of the (001) textured $Mn_5Ge_3$ phase by solid state reaction of thin multilayered films . . . . . 111
T. Matsui, T. Fukushima, M. Shigematsu, H. Mabuchi, K. Morii (Osaka, Japan)

Single crystal refinement of the first $TbFeSi_2$-type structure germanide $LaMnCu_{0.5}Ge_{1.5}$ . . . . . 117
G. Venturini, M.N. Norlidah, B. Malaman (Vandoeuvre les Nancy, France)

Elsevier Science S.A.

On the magnetic properties of $UFe_{4-x}Cu_xAl_8$ alloys . . . 121
L. Dobrzyński (Kjeller, Norway and Bialystok, Poland), D. Satuła (Bialystok, Poland), H. Fjellvåg (Oslo, Norway), B.C. Hauback (Kjeller, Norway), A. Baran, W. Suski, K. Wochowski (Wroclaw, Poland), B. Lebech (Roskilde, Denmark)

Photoelectron spectroscopy and magnetism of some gadolinium intermetallic compounds . . . 132
J. Szade (Katowice, Poland), M. Neumann (Osnabrück, Germany)

**Materials Science**

Reaction induced surface segregation in amorphous CuZr, NiZr and PdZr alloys—an XPS and SIMS depth profiling study . . . 137
M. Kilo, M. Hund, G. Sauer (Bayreuth, Germany), A. Baiker (Zurich, Switzerland), A. Wokaun (Zurich and Villigen, Switzerland)

V-based solid solution alloys with Laves phase network: hydrogen absorption properties and microstructure . . . 151
M. Tsukahara, K. Takahashi, T. Mishima, A. Isomura (Aichi, Japan), T. Sakai (Osaka, Japan)

Nitrogenation process in $Sm_2Fe_{17}$ under various $N_2$-gas pressures up to 6 MPa . . . 156
H. Fujii, K. Tatami, K. Koyama (Higashi-Hiroshima, Japan)

Effect of mechanical grinding on the transport critical current density and the flux pinning force of a $YBa_2Cu_3O_y$–Ag composite superconductor . . . 165
S. Katsuyama, Y. Harada, T. Tatani, Y. Ozawa, K. Majima, H. Nagai (Suita Osaka, Japan)

Optimization of microencapsulating and compacting conditions for hydrogen storage alloy . . . 171
T. Akiyama, T. Tazaki, R. Takahashi, J. Yagi (Sendai, Japan)

Chemical resistance to water of fluorozirconate glasses modified with nitrogen . . . 177
L. Samek (Cracow, Poland), F. Kozera (Gdańsk, Poland)

Structural, magnetic, magnetostriction and magnetomechanical studies on $Ho_{0.85}Tb_{0.15}Fe_{2-x}Al_x$ ($0 \leq x \leq 0.2$) alloys . . . 184
Ch.V. Mohan (Stuttgart, Germany)

Fast amorphization process of the crystalline powder of GeTe using a shock-wave technique . . . 189
K. Yamada (Yokosuka, Japan)

**Metallurgy**

The binary system Pb–Pd . . . 195
Ph. Durussel, P. Feschotte (Lausanne-Dorigny, Switzerland)

New compounds $RE_5Ni_2Sb$ (RE = Y, Tb, Dy, Ho, Er, Lu), $Ho_5Pd_2Sb$ and their crystal structure . . . 203
Yu. Mozharivskyj, Yu.B. Kuz'ma (Lviv, Ukraine)

Ce–Ni–Ge and Nd–Ni–Ge phase diagrams: systematics of rare earth–nickel–germanium compounds . . . 206
P. Salamakha, M. Konyk, O. Sologub, O. Bodak (L'viv, Ukraine)

On $RZn_{1.5}X_{0.5}$ intermetallic compounds (R = rare earth, X = germanium, tin) . . . 212
D. Rossi, R. Ferro (Genova, Italy)

Preparation of carbon incorporated Nb–Al alloy and its subsequent conversion to pure niobium by electron beam melting 216
I.G. Sharma, S.P. Chakraborty, D.K. Bose (Bombay, India)

New representation of the hardening processes of lead alloys by transformation–time–temperature (TTT) diagrams . . . 224
J.P. Hilger, L. Bouirden (Vandœuvre-les-Nancy, France)

The phase diagrams of the quasibinary systems $HgTe/In_2Te_3$ and $CdTe/In_2Te_3$ . . . 229
D. Weitze, V. Leute (Münster, Germany)

Enthalpies of solution of titanium, zirconium, and hafnium in liquid copper . . . 236
M.A. Turchanin (Kramatorsk, Ukraine), I.V. Nikolaenko (Bloemfontein, South Africa)

Decagonal quasicrystals in Al–Co and ternary alloys containing Cu and Ni . . . 243
B. Grushko, D. Holland-Moritz, K. Bickmann (Jülich, Germany)

Author Index of Volume 236 . . . 253

Subject Index of Volume 236 . . . 255

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.